UNIVERSITY OF SWAZILAND



RE-SIT EXAMINATION PAPER 2018

TITLE OF PAPER :

PROBABILITY THEORY I

COURSE CODE : STA 211

TIME ALLOWED : 2 HOURS

INSTRUCTIONS : ANSWER ANY THREE QUESTIONS.

REQUIREMENTS : SCIENTIFIC CALCULATOR.

Question 1

- a) Given: P(A) = 0.2, P(B) = 0.3, $P(A \cup B) = 0.4$. Determine; $P(A^c \cup B^c)$ (i) (ii) $P(A^{c}|B)$
- b) A car accident victim will likely die unless he receives type A+ blood (strictly) before 8 minutes elapse. He will be saved if he does get the blood transfusion. Potential donors and a reusable blood typing kit are available, but it takes 2 minutes to determine each possible donor's blood type, and only 40% of them have type A+ blood. What is the probability that the victim will be saved if only one donor's blood can be typed at a time? (Follow-up: Are you making an assumption in your solution?

(10 Marks)

Ouestion 2

A jar contains 7 red and 11 white balls. Draw two balls at random, replacing the first ball after it is drawn. Let X be the number of balls drawn that are red. Find the probability function of X, and compute its expected value and variance.

> (10+5+5 Marks) **Question 3**

Let A₁,A₂, A₃ be events in the sample space Ω . Let $P(A_1) = 0.4$, $P(A_2) = 0.2$, $P(A_3) = 0.4$, assume that $A_i \cap A_j = \emptyset$ if $i \neq j$. Also, let B be another event with $P(B|A_1) = 0.1$, $P(B|A_2) = 0.1$. 0.2 and $P(B|A_3) = 0.05$.

a) What is P(B)? (8 Marks) b) Are B and A_2 independent events? Why or Why not? (2 Marks) c) Find $P(A_1 \cup A_2 | B)$.

Question 4

If a dealer's profit, in units of E5000, on a new automobile can be looked upon as a random variable X having the density function

f(x) = 2(1-x), 0 < x < 1

a) Find the average profit per automobile.

(4 Marks)

(10 Marks)

b) What is the dealer's average profit and standard deviation per automobile if the profit on each automobile is given by $g(X) = X^2$.

(6+5+5 Marks)

Page 2 of 3

(10 Marks)

Question 5

a) Using a moment generating function derive the mean and variance of a probability density function of this form;

$$f(x;\alpha,\beta)=\beta x^{\beta-1}e^{-\alpha x^{\beta}}, x>0$$

(10 Marks)

- b) Suppose that the service life, in years, of a hearing aid battery is a random variable having parameters $\alpha = 1/2$ and $\beta = 2$.
 - (i) How long can such a battery be expected to last?
 - (ii) What is the probability that such a battery will be operating after 2 years?

(5+5 Marks)

Cumulative normal distribution Critical values of the f distribution Critical values of the F distribution Critical values of the chi-squared distribution

© C. Dougherty 2001, 2002 (c.dougherty@lse.ac.uk). These tables have been computed to accompany the text C. Dougherty introduction to Econometrics (second edition 2002, Oxford University Press, Oxford). They may be reproduced freely provided that this attribution is retained.

-4

పిశిచ్చ

-3

TABLE A.1

Cumulative Standardized Normal Distribution

A(z)

z 2

3

A(z) is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:

	z		A(z)	3			19.00 °C	± 1.2		, -
1	.645	0	9500	1	ower	limit	ofrigt	n 5%	tail	, e
ं	.960	D	.9750	I	ower	limit	of rigi	nt 2.59	6 tail	÷.,
2	2.326	0	.9900	Ĩ	ower	liinit	of righ	it 1%	tai]	,
\mathbf{z}^2	2.576	. 0	.9950	I	ower	limit	ofrig	nt O.59	& tail	
3	8.090	0	9990	Ĩ	ower	limit	ofrig	n 0.19	% tail	
i.	3.291	0	9995	Ì	ower	limit	ofrigl	a 0.05	i% tail	Ľ
			Second .		. 6.531	1.3-2.61	430 M. C			·

z 5	0.00	0.01	"bbz	0.03	0.04	0.05	0.06	10.0 7	10.098	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2 .	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0,6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0,4	0.6554	0.6591	0.6628	0.6664	D.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257.	0.7291	-0.7324	0.7357	0,7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939.	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	. 0.BIB6.	03212	0.8238	0.8264	0.8289	0.8315 -	0.8340	0.8365	0.8389
10	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	10.8554	0.8577	0.8599	0.8621
- 1 3	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
12	0.8849	0.8869	0.8888	D.8907	0.8925	D.8944	0:8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	-0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
14	0.9192	0.9207	11.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0,9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0:9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0,9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0,9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
-22	0.9861	0.9864	0.9868	0.9871	0.9875	D,9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9914	0.9913	0,9916
2.4	0.9918	40.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	PPP3 6
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0:9948	0,9949	0.9951	0.9952
2.6	0.9953	0:9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0,9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	D.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	- 0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0,9989	0.9989	0.9990	0.9990
3.1	0,9990	0.9991	0,9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
.3.2	0.9993	0.9993	0.9994	0.99994	0.9994	0.9994	0.9994	0.9995	0.9995	0,9995
3.3	0.9995	· 0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.99998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.99999					n alata sa 1997 ng sa National States (Second		



t Table			• 	2	n Kanya						
cum. prob onestail two-tails	0.50 1.00	0.25 0.50	1 80 0.20 0.40	ť 85 0.15 0.30	r .90 0.10 0.20	(₉₅ 0.05 0.10	t .975 0.025 - 0.05	t 99)0.01 0.02	t .985 0.005 0.01	t 999 0.001 0.002	t D.0005 D.001
e të shtë di S d	0.000	1.000	1.376	1.963	3.07/8	6.314	12.71	31.82	63.66	318.31	636.62
23		0.816	13061 0.978	1.386	14886	2,920	4.303	6.965 4.541	9:925 5.841	22.327	31.599 12.924
	01000		- 0.920 <u>-</u>	1,3190 1,3195 1,	1.355	2,132	2.5714.	3.747 3.365	4.604	7.173 5.893:	6.671 - 6.869
					1 135 1 3967	a trainin Addeba	2365 1236	Tabeli Välin	13.995 (1995)	4 2005 08 809 \$	- 156803 1- 与代解
16.4	् ्रेल्स् १९१९-२	r, Sys Ta pôla	entes o el 19	n (a Brad) 11 - Esclado -		(第35) 王帝王 王帝王	- 2200 	가 카르니. 고 : 494	3 (556) 1 2 4 5 5 5 5	2. 2.497 4 1942	2 2 3 3 m - 2 1 1 9 M
12 12	0.000	ાતે છે? જુલકાર	0.876	1.083	1,356	1.796	2201	2.681	3.055 3.055	4 025 3 930	4.318 4.318
42 17 17		0.693		k07/55 ₩107/55	- 1345 - 1345 - 1345	2 1.761	2.100 - 2.145 6. 21311	2.624	3.012 2.977	3.787 3.787	4.22 4.14(4.075
						e y se		an a	일: 4년 ⁴ - 22 전설	in standard and a second s Construction of the second s	4 676 1 887



0% 50% 60% 70% 80% 90% 95% 98% 99:8% 99.9% 99% Confidence Level

Sec. Ni

փ 130

64.04 (A) NAG L Ş

1-table x/s 7/14/2007

State 1

-

2

TABLE A.3

Distribution: Critical Values of F (5% significance level)

. S.Y	1	2 2	∵_3_°	(*** 6 , 4)	5	÷ .6	\mathcal{A}	. 8	- * 9	- 10	-, -12 ∶	14	'** 16	· 18	- 20
12	361 45 1	00 50	つ15 オゴ [・]	22/58	92016	722 00	·926 77	120.00	740 54	-741-00	2/2101	745 26	016 16	247 27	740 A1
3	101:40 1	-10 nn	1016	224,00	1030	233.33	430.44	10 27	240.34	10 10	10/1	240.50	240.40	10.17	10 /5
	1013	955	~ 9.78		- 001			* 8 85		8 79	874	8 71	3 69	867	8 66
Ľ ' آ	9.71	6.94	6.59	6 39	6.26	6 16	6.09	6 04	6.00	5.96	5.91	5.87	5.84	5.82	5.80
5	6.51	5.79	5.41	519	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.64	4.60	4.58	4.56
		包控		Sec. A		, ko 👬	. ેનવ	1. A.							1997 (A. 1997) 1999
6	3.99	3.14	4,76	4.55	4.39	4.28	4.21	4.15	4.10	-4.06	4.00	3.96	3.92	3.90	3.87
	3.39	4.14	4.52	4.32	3.91	3.8/ 7 x0	3.19	3./3	3.08	3.04 2.75	3.3/	3.73	3.99	3.47	3.44 วาร
0 1	3.32	4,40	9.01	2.04 2 20	2.02	3.30 1 7 7	3.3V 3 30	3. 44 3.33	2,39	3.33	Э.Zð Э.D7	3.24	3.LU 3.00	2.17	3.13
10	2.12	4 10	3.00	3 18	2 2 2 2	3.31	3.27 3.14	3.23	3.10	2.14 2.08	2.07	2.05	2.35	2.50	2.39
												2.50			
	4.84	3.98	3.59	. 336	3,20	3.09	3.01	2.95	2.90	2.85	2.79	2.74	2.70	2.67	2.65
12	4,75	3289	3.49	5.26	- 511	3.00	2.91	2.85	2.80	2.75	2.69	2.64	2.60	2.57	2.54-
	4.07	3.81	3.41	3.18	- 3 103	2.92	2.83	2.11	2.71	2.07	2.60	2.55	2.31	2.48	2.40
14	4,00 • 1,51	3.94 9.40	3.34	- 3.11	2,90	2,03	2.40	2.40	2.00	2.00	2.55	2.410 7.117	2.94	2.91	2.37
		-3-3 -9 -	- 2,27	 	2,70	4-17 - 1299		2 <i>/</i> 04	4.37	2.94 公式型	L. 10	2.42	2.30	1.32	2.3.3
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.37	2.33	2.30	2.28
17	4,45	3.59	3.20	2.96	2.81	2,70	2.61	2.55	2,49	2.45	2.38	- 233	2.29	2.26	2.23
- 11	4,41	3.55	: 3,16	2.93	277	2,66	j 2.58	2.51	2,46	- 241	234	229	225	2.22	2.19
19	4.38	3.52	.313	2.90	2.74	2.63	, 254	2,48	2.42	238	231	2.26	2.21	2.18	2.16
24	4.35	3.49	.3.10	2.87	2.71	2:60	2.51	2.45	2.39	2.35	2.28	2.22	2.18	2,15	2.12
21	4.32	3.47	3.07	- 2.84	2.68	2.57	2.49	2.42	2.37	2.32	2,25	2.20	2,16	2.12	· 2.10
22	4.30	3.44	3,05	2.82	2.66	- 2.55	2.46	2.40	- 2.34	2,30	2.23	2.17	2.13	2.10	- 2.07
23	4.28	- 3,42	3.03	2.80	2.64	2.53	3 2.44	<u>.</u> 2.37	2.32	2.27	2.20	2.15	2.11	2.08	2.05
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	_ 2.18	2.13	2.09	2.05	2.03
25	4.24	3,39.		. 2.76		. 2.49	2.40	2.34	2.28	2.24	2.16	2.11	2.07	2.04	2.01
26	4 72	3 37	2 98	774	. 2 59	2.45	7 39	2 32	2.27	2.77	2.15	2.09	2.05	2.02	1 99
27	421	3.35	2.96	2.73	2.57	2.4	5 237	231	2.25	2.20	2.13	2.08	2.04	2.00	1.97
28	4.20	3,34	2.95	2.71	2.56	2.45	5 2.36	2.29	2.24	2.19	2.12	2.06	2.02	1.99	1.96
29	4.18	-3.33	2.93	. 2,70	2.55	2:43	3 2.35	2.28	2.22	2.18	2.10	2.05	2.01	1.97	1.94
्रा	4.17	3.32	2.92	2.69	2.53	2,42	2.33	2.27	2.21	2.16	2.09	2.04	1.99	1.96	1.93
"。 ""	. 119.	2 27		764	7 #O	- 14 7 7 7	7 7 7 1 7 7 70		216		2 10/	1 00	1 O X	1 101	1 22
21	, 7.12 1 2403	3.21	2.07	2.01		792	7.2	738	2.10 717	7 08	2.07	1 95	1 00	1.87	1.00
SI SI	1 21 03	3 18	779	256	· · · · · · · · · · · · · · · · · · ·	370	270	2.12	2 17	7.03	1.95	1 89	1.85	1.81	1 78
6	4.00	315	2.76	2.53	237	2.2	5 2.15	2.10	2.04	1.99	1.92	1.86	1.82	1.78	1.75
70	3.98	3.13	2.74	2.50	2.35	2.23	3 2.14	2.07	2.02	. 1.97	1.89	1.84	1.79) 1.75	1.72
-01	2.04	2 11	2.0	2 40				າກເ	7.00	ALL CONTRACT	1 OQ	1.01	। বিদ্যালয়	1906 - 201 1906 - 201 1916 - 1919	1 70
0) 01	23.20	3.11 2 mn	2,12	2.47	2.33	2.21	L 2.13	2.90	2.UL 1 DC	1.90	1.00	1.02	1.11	1.13	1.70
101	3.94	3.10	2.71	2.41 7 25	2.92	2.4) 71(2.04	1.22	1.74	1.00	1.00	1.70	171	1.68
121	1 307	3.07	758	7 45	379	215	3 7 00	2.03	1 96	1 191	1.83	1 78	1.73	1.69	1.66
15	3.90	3.06	2.66	2.43	2.27	21	5 2.07	2.00	1.94	1.89	1.82	1.76	17	1.67	1.64
		「小田」		5200			୍କ୍ରମ୍ୟୁ				gi o di			a transfer	en an Robert
201	1 . 3.89	3,104	2.65	2.42	2.26	2.13	- 201	1.98	1.93	1.888	1 80	1.74	1.65	1.66	1.62
23	2,388	3113	2.04	2.41	2.23 	2.12	2.00	1.98	1.92	1,8/	1.75	1./2	1.02) 1.02	1.01
JUC.	2.07	ີ ສາກ	2.03	2.41 9 20	2,24	2.1 7 1) 2.04) 2.43	1.97	1.71	1.00	1.70	1.12	1.00) 1,304 7 1,4⊂2	1.01
501	3.86	3 61	2.03	2.37 7 90	2.24		2 10	1.70	1.71) 1.03	3-240	1 71	· 1.0)	1.03	1.100
-384				417 	6,4,4,4 1,4,4,4 1,4,4,4 1,4,4,4 1,4,4,4 1,4,4,4,4	2. 2. 1 .		A. 343	4.74	1997 - 1997 1997 - 1997 1997		4 - 4	1.00		, 1.J
6D1	3.86	3.01	2.62	2,39	2.23	2.1	1 2.02	2 1.95	1.90) 1.85	1.71	1.71	1.66	1.62	1.59
751	3.85	3.01	2.62	2.38	2.23	2.11	1 2,02	1.95	1.85	1.84	1.77	1.70	1.66) 1.62	1.58
1001	1 3.85	- 3.00	2,61	2.38	2.22	2.1	1 2.00	2 1.95	1.85	1.84	1.76	1.70) 1.63) 1.61	1.58
	- 1 #102.60 ²⁰ http://www.		 Republic 	 a Sector data (201) 			1	1 A A				/ •		and the second	

Table A:3 (continued)

e level)

		4 . State			шноп, Цира	-CIANCE			10 70 351	yumcanc
ν. ν ₁	25	30	35	40,	50	60 5	75	100	150	200
ν2	34000		- Alexan -	арана 1 - 1 - 1 - 1	- 19 61 17 19 19	1		57 01 0	5246	27.69
2. 5	249.20 19.26	19 46	10217	31.14 2 10.17	31.772 10.28	1948	52.62 2 10.28	23,04 J 10,40	233.40 . 19.40	233.08 19.49
	8.63	8:62	8.60	8:59	8.58	8.57	8.56	-8.55	8.54	8.54
4	5.77	5:75	5.73	5.72	5.70	5.69	5.68	5.66	5,65	5.65
5	, 4.52	4.50	4.48	4.46	4.44	4.43	4.42	4.41	4.39	4.39
б	3.83	3.81	3.79	3.77	3.75	3.74	3.73	3.71	3.70	3.69
1	3.40	3.98	3.36	3.34	3.32	3.30	3.29	3.27	3.26	3.25
.8	3.11	3.08	3.06	3.04	3.02	3.01	2.99	2.97	2.96	2.95
10	2.89	2.86	2.84	2.85	2.80-	2.19	2.11	2.70	2.14	2.13
40 1995	1.53.3 	4.4V	- La UO	2,00	 一页	2.102 	LAU			and the
11	2.60	.2.57	2.55 -	2,53	2.51	2.49	2.47	2.46	2.44	2.43
12	2.3U 9.41	2 28	2,94	2,43	230	2.30	231	2.33.	2.33	2.3Z
14	2.34	2.31	2.28	2.27	2.24	2.22	2.21	2.19	2.17	2.16
Ь	2.28	2,25	2,22	2.20	2.18	2.16	2.14	2.12	2.10	2.10
16	273	7 19	217	215	2 17	713	- 209	2 07	2.05	2 104
- 1	2.18	2.15	212	2.10	2.08	2.05	2.04	2.02	2.00	1.99
18	2.14	211	2.08	2.06	2.04	2.02	2.00	1.98	196	1.95
.	2.11	2,07	-2.05	2.03	2.00	1.98	1.96	1.94	1.92	191
20	2:07	2.04	2.01	1.99	1.97	1.99	1,95	134	1.89	1.88
21	2:05	2.01	1.98	1.96	1.94	1.92	1.90	1.88	1.86	1.84
22	2.02.	1.98	196	1.94	1.91	1.89	1.87	1.85	1.83	1.82
25 74	 1.07	1.90	1.95	1.71	1.00	1.00	1.09	1.02	1.00	1.19
25	1.96	1.92	1.89	1.87	1.84	1.82	1.80	1.78	1.76	1.75
36	4 07	1.00	1 97	1.95	1 87	12.0	1 79	176	1977 1977	1-72
20 27	1.92	1.88	1.86	1.84	1.81	1.79	1.70	1.74	1.72	171
28	1.91	1.87	1.84	1.82	1.79	1.77	1.75	1.73	1.70	1.69
29	,1.89	1,85	1.83	1.81	1.77	1.75	1.73	1,71	1.69	1.67
30	1.88	1.84	1.331	1.79	1.76	1.74	1.72	1:70	1.67	1.66
35	1.82	1.79	1,76	3.74	1.70	. 1.68	1.66	1.63	1.61	1.60
40	1.78	1.74	1.72	1.69	1.66	1.64 -	. 1.61	159	1.56	1.55
20 60	1.75 3 40	1.09	1.50	1.00	1.00	1.58	1.33	1.32	1.00	1.418 1.414
70	1.66	1.62	1.59	1.57	1.53	1.50	1.48	1.45	1.42	1,40
	1 64	1.60	1 57	1 57	1 81	1 40	1.45	1 //2	7 20	1 29
90	1.63	1.59	1.55	1.53	1.49	1.46	1.44	141	1.38	136
100	1.62	1.57	1.54	1.52	1.48	1.45	1.42	1.39	1.36	1.34
~ 120	1.60	1.35	1.52	1,50	1.46	41.43	1.40	1.37	1.33	132
150	1.58	154	150	1.48	1,44	1,41	1.38	1.34	1.31	1.29
200	1.56	1.52	1.48	1.46	1.41	1.39	1.35	1.32	1.28	-1.26
-250	1.55	1.50	1,47	1.44	1.40	1.37	1.34	131	1.27	.1.25
.500 200	1.34	1.20	1.410 1.215	1.43	1.39	1.30	1.33	1.51	1.20	1.Z3 1.72
500	1.53	1.48	1.45	1.42	1.38	1.35	1.31	1.28	123	121
ana.			<u>й</u> ял	्र र 1 जेव	1.27	1.127	6.18. 1.21	1.07	1.72	3 30
900 750	1.52	1.40	1 44	1.41	1.37	1.34	1.31	1.27	1.23	1.20
1000	1.52	1.47	1.43	141	1.36	1.33	1.30	1.26	1.22	1.19
		그 같은 것		가입문		and the second s	teres Second		이 가 있는 같은 가 귀성	

TABLE A.3 (continued)

FDistribution: Critical Values of F (1% significance level)

	4- 1	之中	3	4	.5	6	77	8	. 9	10	12	14	16	18	20
72								Frank 2							
	4052.18	4999.50	5403,35	3624.58	5763.65	5858,99	5928.36	5981:07	6022.47	6055.85	6106.32	6142.67	6170.10	6191.53 DB 44	6208.73
naren eta arrendea arrendea. Arrendea arrendea arrendea arrendea arrendea arrendea arrendea arrendea arrendea a		99.00 20.92	299.14	99.23	99.50	99.33	79.30	99.31 77.10	- 99.39	39.40	99.42	99.43	75.83	299.44	99.45
) 2170	18:00	16 69	15198	15.52	1571	14 98	14.80	14 66	14.55	14.37	14.25	14.15	14.08	14.02
	5 16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.77	9.68	9.61	9.55
	12 75	1000	072	615	8 75	Q 347	276		708	7 97	443	7 60	7 57	7 /5	7 40
	12:12	40.72 955	845	7.85	746	710	6499	6.84	6.72	6.67	647	636	6 28	6.21	6.16
	3 11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.56	5.48	5.41	5.36
) 10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	5.01	4.92	4.86	4.81
11) 10.04	7.56	6.55	5.99	5.64	5,39	5,20	5.06	4.94	4.85	4.71	4.60	4.52	4.46	4.41
	9,65	- 7.21	6.22	5.67	5.32	5.07	4.89	4,74	4.63	4.54	4.40	4.29	4.21	4.15	4.10
1	2 9.33	6.93	5,95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.05	3.97	3.91	3.86
	9.07	6,70	5,74	5,21	4.86	4.62	4,44	4.30	4.19	4.10	3.96	3.86	3.78	3.72	3:66
	1 <u>8,86</u>	6.51	5,56	- 5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.70	3.62	3.56	3.51
) - 8.90	0 .30	3,4Z	4.87	4.D0	4.32	4.14	4.00	3.87	ລ. ໜ)0.C	3,30	3.47 	3.42	3.91
	5 8.53	623	529	4,77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	. 3,45	3.37	3.31	3.26
	(. 8 .40	- 6.11	5,18	4.67	434	4.10	3.93	3.79	3.68	3.59	3.46	3,35	3.27	3.21	3.16
	5 - 8.29	6.01	5.09	4.58	4.25	4.91	3.89	3.4	3.50	- 5.31 2 82	3.5/	3.27	3.19	3.13	3.WB 2.DD
2	0.10 0 8 10	585	2:04 4 94	4 43	410	3,94	3.70	3.56	3.46	3.45	3.23	3.13	3.05	2.99	2.94
							tr haitr	心律师		Distantia Distantia Distantia		6 Q.Q.			
2	1 8.04	5.78	- 4.87	4.37	4.04	3.81	3:54	10.6	3.40	331	3.17	3.07	2.99	2.93	2.38
,	L 7.93 L 7.88	2.12	4,02	236	3.97	3.70	3.57	3.43	ອ,ອອ ສຸຊາ	3.20	3.12	2.02	2.34	2.00	2.65
2	1 7.8 2	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.93	2.85	2.79	2.74
	5 7.77	5.57	. 4.68	4.18	3.85	3.63	3:46	3.32	3.22	3,13	2.99	2.85	2.81	2,75	2.70
	6 7 72	5.53	4 64	4 14	3.82	3.59	342	3 29	3 18	3.09	2.96	2.86	2.78	2.72	2.66
2	7 7:68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.82	. 2.75	2.68	2.63
2	8 7.64	5.45	4.57	4.07	3.75	3.53	336	3.23	3.12	3.03	2.90) 2,75	2.72	2.65	2.60
2	9 7.60	-5,42	4,54	4.04	3.73	3.50	3,33	.3.26	3.09	3.00	2.87	2.77	2.65	2.63	2.57
	0 7,56	5.39	4.51	4:02	3.70	-3.47	3.30 S	. 3.1 7	3.07	2 .98	. 2,84	2.14	, 2. 0t	> 2.66	1 2.33
3	5 7.42	5.27	4,40	3.91	. 3:59	337	3.20	3.07	2.96	2.88	2,74	2.64	2.56	5 2.50	2.44
	0 7,31	5.18	431	3.83	9.51	3.29	3.12	2.99	2.89	2,80	2.6	5 2,56	2.45	3 2.42	2.37
5	0 7.17	5,06	4.20	3.72	3,41	3.19	3.02	2.89	2.78	2.70	2.56	2.40	2.3	3 2.32	2,27
	0 7.00 6 7.01	4.30	4.13	3.00	3.39	3.12 2.07	2.95	2.02	2.42	2.03	2,31	(<u> </u>	2.54	7 2 2	2.20
		· · · · ·	्रम् स					rin fra		ville Ville					
	0 6.96	4.88	4.04	3.56	3.26	3.04	2.87	2.74	2,64	2.55	2.42	2.31	2.2	3 2.17	2.12
	0 6.93 0 5300	4.60	4491	: 3, 3 ,3 3,53	3.23	3701 7300	2.34	2.12	2.01	2.32	2.33	/ 2.25 7 7 7 7	2.2	L 2.14	2.09
	0 6385	2 79	3.95	348	317	2.99	279	2.6	2.56	5 2.50 5 2.47	234	2.23	2.15	5 2.09	2.03
J.	D 6.81	4.75	391	3.45	- 3.14	2:92	2.76	2.63	2.53	2.44	231	2.21) 2,12	2.06	2.00
(1)	n <u>6</u> 74	A	2.404	2 31	্র বর্গ	132 092 C	-7-972 -7-972	54) 7 7 5	וא כי			7 73 496	ງ ກໍ່	107
25 (1997) 25 (1997)	0 674	4.69	7.86	3.40	3.09	2,03	2.10 271	2.55	2.45	239	2.28	5 2.1	2.07	7 2.101	1.27
30	0 6.72	4.68	3.85	3.38	3.08	2.86	2.70	2.5	2.4	2.38	2.24	2.14	2.00	5 1.99	1,94
40	0 6.70	4.66	3,83	3.37		2.85	2.68	251	5 2,41	2,37	2.25	2.1	3 2.0	5 1.98	3 1.92
50	0 6.69	4.65	3.82	336	3.05	2.84	2.68	2.5	j 2.44	2.36	2.21	2 2.11	2 2.04	1 191	1.92
60	0 6.68	4.64	3.81	3.35	3,05	2.83	2.67	2.5	2.44	2.35	221	2.1	2.0	3 1.96	5 1.91
	0 6.67	4.63	3.81	334	3,04	2.83	2.66	2.5	2.4	3 2.34	2.21	2.1	2.02	2 1.94	5 1.90
100	D - 6:66	4.63	3.80	.3 .34	3.04	2.82	2.66	2.5	3 2,43	3 2.34	22() 2.1() 2.0	2 1.95	5 1.90
					n an The State				생활충				- secore Secore		naxini XXI. Nga kata sa

.

TABLE A.3 (continued)

				$i_{iji} \in U$	DISTU	onnon:		에 오려면		-14 <i>/</i> 05	iyiniiya Ma	ance leve
	, v ₁ ,	25	30 30	35	40	50		-75	100	150	200	
	P2	in an	- 19 A. A.		关大			编辑				
	230	00 Å6	6260.65 H 00.217	52/5⊃7,4 3002/17	286.78 100.27.	0302.52 00.4%	00.29	6323,56 -00,210	6334.11 400 210	6344.68 00 210	6349.97 GO 20	
	3	26 58	2650	26:45	26.41	26.95	2632	26 28	26.24	26.20	26.18	
	4	13.91	13.84	13.79	13.75	13.69	13:65	13.61	13.58	13.54	13.52	분의 문
	. 5	9.45	9.38	9.33	9.29	9.24	9.20	9.17	9.13	'9.09	9.08	
	- K	730	7.93	718	7 14	7.09	706	3 10 7	6.09	6.95	6 93	
	19	6.06	5.99	-5.94	5.91	5.86	5.82	5.79	5.75	5.72	5.70	
	8	5.26	5.20	3.15	5,12	5.07	5,03	5.00	4.96	4.93	4.91	
	9	4.71	4,65	4,60	4,57	4:52	4.48	4.45	4.41	4.38	4.36	
	10	4.31	4.25	4.20	4.17	4.12	4,08	4,05	4.901	3.98	3.96	
	11	4701	3.94	3.89	3,86	3,81	3.78	3.74	3.71	3.67	3.66	en di Kong Par Antone Angel
	12	3,76	3.70	3.65	3,62	357	3,54	3.50	3.47	3.43	3.41	
	13	357	3.51	3.46	3,43	3.38	3.34	3.31	3.27	3.24	3.22	
	14- 15-	3.41	2.02	3.30	341 343	3.22	2,10	3.13	2.11	3.Uo 7.04	2.00	
		270						Alter				
	16	3.16	3.10	3.05	.3.02	297	2.93	2.90	2.86	2.83	2.81	
	12	SAU TOOR	3400	7.20	124		2.03	7.71	2.70	2.13	347	
	19	2.91	2.84	2.80	2.76	271	267	2.64	2.60	2.57	2.55	
습니다. 같아요	20	-2.84	2.78	2.73	2.69	2.64	2.61	2.57	2.54	2.50	2.48	1993년 1983년 1997년 - 1997년 1997년 - 1997년 - 1997년 1997년 - 1997년 - 199
	- -	2 76	3.93	9 69	241	750	2 <5		7 42			
	72	2.73	7 67	7.62	258	2.50	2.99	7.51 7.46	2.40	238	236	
	23	2.69	2.62	2.57	2.54	2.48	2.45	2:41	2.37	2.34	2,32	p.
sa. Serto	24	2.64	. 2.58	. 2.53	2,49	2.44	2.40	2.37	2.33	2.29	2.27	
(tai t	-25-	2:60	2.54	2.49	2,45	2.40	2.36	2.33	2.29	2.25	2.23	
	26	2.57	2.50	2.45	2.42	2.36	2.33	2.29	2.25	2.21	2.19	8 (1) - (1) - (1)-2 (1) (1) (1)
	27	2.54	2.47	2.42	2,38	233	2.29	.2.26	2.22	2.18	2.16	
142 - CARLER 149 - CARLER 149 - CARLER	. 28	2.51	2.44	2.39	2,35	2.30	2.26	2.23	2.19	2.15	2.13	
	29	2.48	2.41	2.36	2.33	- 2.27	223	2.20	2.16	2.12	2,10	
	30	2,45	2.39	2.54	2,90	4.23	2.21 - 2.21	2.17	, 2,9 .5	2.09	- 2.07	
		2.35	2.28	2.23	- 2.19	2.14	2.10	2.06	2.02	1.98	1,96	
	40	2.27	2.20	* 2.15	2.11	2.06	2.02	1,98	1.94	1.90	1.87	
	ີ ວນ ຊັກ	2.17	2.40	2.03	2.991	1.22	1.91	1.8/	1,82	1,78	1.//D 1.49	
	70	2.10	3.98	1.99	1 89	1.00	1.04	1.72	170	1.55	1.00	
		(A alas	. Ker		- fig.i						्रेष्ट्र	
	- 30 - 00	2.03	1.94	1.89	1.80	1.19	1./)	1.70	1,65	1.61	1.58	
	100	1.97	1.72	1.80	1.02	1.70	1-12	1.07	1.62	1.57	152	
	120	1.93	1.85	1.81	1.76	1.70	* 1.66	1.61	1.56	1.51	1.48	
	150	.,190	183	1.77	1.73	1.66	- 1.62	1,57	1.52	1.46	1.43	
	200	1 87	1 79	1 74	1 69	1 63	1 58	153	1 42	1 22	120	
	250	1.85	1.77	1.72	1.67	1.61	156	151	145	1.40	1.36	
	300	1.84	1,76	1.70	1.65	1.59	1.55	150	1.44	1.38	135	
	400	1,82	1.75	1.69	1,64	1.58	1,53	1.48	1.42	1.36	1.32	
	500	. 1.81	1.74	1.68	1.63	157	-1.52	. 1.47	1,41	1.34	1.31	
	600	1.80	1.73	1.67	1.63	1.56	1.51	1.46	1.40	1.34	1.30	
X. Starte R	750	180	1.72	1.66	1.62	1.55	1.50	1.45	1.39	1.33	1.29	در این افغان فرزین
	ANND -	1.79	1.72	1,66	1.61	1.54	150	1,44	1.38	1.32	1.28	¥
1. LE &	A NUMBER OF STREET	2.6. 6. CT34 m ' m'	201 10 20 20 20 20 20	人名达尔德 許 香 一		04 N 21 A-74	A S STATE STATE	to be been and the second		しゅう 読い	1. C. C. LAN 520	2 · · ·

TABLE A.3 (continued)

	i de la cara de la cara Cara de la cara de la c	E	Distrit	ution:	Critic	al Valu	es of F	(0.1%	signifi	cance l	evel)			
ν_1 1	2	3 .	4	5 5	*6	7	8	*9	10	12	14	16	18	20
¹ 2 1 4.05e05	5.00e05	⊐.40e05.	5.62e05	5,76e05	5.86e05	5.93e05	5.98c05	6.02e05	6.06e05	6.11-05	6.14e05	6.17e05	6.19e05	6.21e05
2,998,50 \$	99,00	999.17	999.25	999.30	999.33	999.36	999.37	999.39	999.40	999,42	999.43	999.44	999.44	999.45
3 167.03 1	48.50	141.11	137.10	134,58	132.85	131.58	130.62	129.86	129.25	128.32	127.64	127.14	126.74	126.42
4 7434	61.25	56,18	53.44	251.71	50.53	49:65	49.00	48.47	48.05	47.41	46.95	46.60	46.32	46.10
⇒ , 47.18	31.12. The F	39.20	31,119	29.13	28.85	28.36	21.00	21.24	26.92	20,42	20.90	23.78	23.37	. 23.39
6-35.51	27.00	23.70	21.92	20.80	.20.03	19.46	19.03	18.69	18.41	17.99	17.68	17,45	17.27	17.12
7 29.25	21.69	18.77	17.20	16.21	15.52	15:02	14.63	14.33	14.08	13.71	13.43	13.23	13.06	12.93
8,22,41	18.49	15.83	14.39	15.48	12.86	12,49	12.05	11.17	11.54	11.19	10,94	10.75	10.60	10.48
10 71 04	1007	12 55	11.20	10.48	11.13	10.70	9.20	8 96	875	9.97 8.45	8.22	8.05	7.01	7 80
	115		Stille.		-	(Act)		dia dia		- 1916.		1.00		
11 19.69	1321	11.56	10.35	- 958	. 9.05 	3.66	8.95 7 78	8.12	7.92	7,65	1.41	1,24	7,11	7.01 Z 10
12 30.04	12.21	10.00	-9203	*0.207 % Q4	-0.30	-0.00	7 31	5 OR	680	6.59	0,77 6 31	0.05 6 16	0.31 6.03	- 0.40 -5'03
14 17.14	11.78		8.62	7.92	7 44	7.08	6.80	6.58	6.40	6.13	5.93	5.78	5.66	556
15 16.59	11,34	9.34	8.25	7.57	7,09	6.74	6.47	6,26	6.08	5.81	5.62	5.46	5.35	5.25
	1007	C INT	- 3. 	7.57			4 10		5 91	1 (12) 5 5 5 5			< 00	1.00
17 15 22	10.65	3202	768	540		10/#0 16 77	5496	575	558	537		4.99	487	478
18 15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39	5.13	4.94	4.80	4.68	4.59
19 15.08	1036	8,28	¥.27	6.62	6.18	5.85	5.59	5.39	5,22	4.97	4.78	4.64	4.52	4.43
20, 14.82	9,95	8.10	7,10	. 6.46	6.02	5.69	5.44	5.24	5.08	4,82	4.64	4.49	4.38	4.29
21 14.59	9.77	7.94	6.95	6.32	.5.88	5.56	5.31	5.11	4.95	4.70	4.51	4.37	- 4.26	4.17
22 14.38	9,61	- 7.80	6.81	6.19	⁷ × 5.76	5.44	5.19	4.99	4.83	4.58	4.40	4.26	4.15	4.06
23 14.20	9,47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73	4.48	4.30	4,16	4.05	3.96
24, 14.03	9.34	7,55	6.59	. 5.98	5.55	5.23	4.99	4.80	4.64	4.39	4.21	4.07	3.96	3.87
23 13.88	9,22	4240	< 10,4 9	- 3.8 9	. 3.40	~ 	4.91 2	3 4 7 1	4.20	9.31	- 4.13	3.39	3.00	-
26 13:74	9,12	7.36	6.41	5.80	5.38		4.83	4.64	4.48	4,24	4.06	3.92	3.81	3.72
27 13.61	9.02	727	6.33	5.73	5.31	5.00	4.76	4.57	4.41	4.17	3.99	3.86	3.75 aza	3.66
-70 13:30	9.73 8:85	717	0.2.) 6 10	5.50	5 18	4.93	4.07 2.42	4.30	4,33	4.11 Ans	3.93	3.00	3.09	2.00
30 13.29	8.77	7.05	6.12	3.53	5.12	4.82	4.58	4.39	4.24	4.00	3.82	3.69	3.58	3.49
100 - 10 6a	10 10 10 10	1,145	200									9 40	7 70	-
20 12.90	8.57 875	6.79	3.88 300		- 4 20 Y 1 7 2	4.39 1 11	- 4.30 171	4.10	4.113	- 3.19 3.61	3.77Z	3.40	3.30	3.29 3.14
50 12.22	7.96	634	5.46	4.90	451	4.22	4.00	3.82	3.67	3.44	3.27	3.41	3.04	2.95
60 11.97	1.77	6.17	25.31	4.76	4.37	4.09	3.86	3.69	3.54	3.32	3.15	3.02	2.91	2.83
*70 11.80	7.64	6.06	; 5.20	4.66	4.28	3.99	3.77	3.60	3.45	3.23	3.06	2.93	2.83	2.74
80 11.67	7.54	5.97	5.12	4.58	4.20	3.92	3.70	3.53	3.39	3.16	3.00	2.87	2.76	2.68
90 11.57	7,47	5,91	5.06	4.53	4,15	3.87	3.65	3.48	3.34	3.11	2.95	2.82	2.71	2.63
100 11.50	2,41	5,86	3.02	4.48	4.11	3.83	. 3.61	3.44	3.30	3.07	2,91	.2.78	2.68	2.59
120 11.38	732	5,78	4,95	4,42	4.04	3.77	3.55	3,38	3.24	3.02	2.85	2.72	2.62	2.53
170 31.27	1.24		4.88	-4:33 	3,98	1.11	17 2 A 9	2.32	3.18	290	2 351	Z.157	2.30) 2: 98
200 11.15	7,15	5.63	4.81	4.29	3.92	3.65	3.43	3.26	3.12	2.90	2.74	2.61	2.51	2.42
250 11.09	7,10	5.59	4.77	4,25	3.88	3.61	3.40	3.23	3.09	2.87	2.71	2.58	2,48	2.39
300 11.04	7.07	5.56	4.75	4.22	3.86	3.59	3.38	3.21	3.07	2.85	2.69	2.56	2,46	2.37
500 10.99	7 00	551	4.60	4 12	3.03 2.93		2.33	3.16	3 192	2.02	2 AND 7 64	2.57	2.41	2.34
						۳ دیود. چې	ليحدث محد حد						1997 - 1998 - 1999 - 1999 1997 - 1997 - 1997 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 19	. 2.2.2
600 10,94	10.99 2.07	5.49 5.49	4.68	4.16	3.80	353	3.32	3.15	3.01	2,80	2,63	2.51	2.4(ว ว	2.32
1000 10.91	10.97 16 10 A	⇒.48 5.46	4.07	4.1) A 1/	9.79 3.79	्र २ < 1	3.31	3.14 3.13	2.00 2.00	2.18	2.10Z 2.161	2.43 7 19	2.35	2.31 3 730
AVAN BUILD	- 	2 - 2			ل974 والبر	Lines Lines Lines			6.5 .51	1997 - 1997 -		Cli د بند.	مریسم د اور اور او	••••••••••••••••••••••••••••••••••••••



• TABLE A.3 (continued)

			÷	Distrib	ution:	Critica	d Valu	es of F	40.1%	signifi	cance level)
200 101	25 25	30	35	40	50	60	75	100	150	200	
342	Sint.			ALC:	14.2	. .	k/ 27	n e inin d	in the second		3
1 2	6.24e05 999.46	6.26e05 999 47	6.28e05 999.47	629605 999 27	6.30605 999.48	6.31-05 999.48	6.32±05 999 49	6.33e05 1999.49	6.35e05	6,35e05 999,49	
3	125.84	125.45	125.17	124.96	124,66	124,47	124.27	124.07	123.87	123.77	ar si agan mara Na - b
2	45,70	45.43	45.23	45.09	44.88	44.75	44.61	44.47	44,33	44.26	
	20.00	. 24.01	29.92	24.DU	24.99	29.33 - 199	24.22	24,12	24301	. 23.93 *7%	
6 7	16.85	15.67	16.54	16.44	16.31	3621	. 16.12 19 mi	16.03	15.93	15.89	s ⁴⁸ z, el la constante de la
8	10.26.	19.11	10,00	9.92	9.80	9.73	9.65	9.57	9.49	9.45	
2	8.69	8.55	8,46	8.37	8.26	8.19	831	8.04	7.96	7.93	
. 10 	 5	1.41	131	3.30	1.19	, 1.1 2	- 1500 - 1610	6,98	6.91	0.87	
11	6.81	6:68	6.59	**652:	6.42	6.35	- 6.28	6.21	6,14	6.10	
13	5.75	5,63	0.00 5.54	-222	5.37	5.30	5.24	 5.17	5.10	5.07	1997년 - 1997년 19 1927년 - 1931년 - 1931년 1931년 - 1931년 - 1931년 1931년 - 1931년 -
14	5.38	5.25	.517	5.10	5.00	4.94	4.87	4.81	4.74	4.71	
15	5.07	4.95	4.86	4,80	4.70	4.64	4.57	4.51	4.44	4.41	
- 16	. 4.82	4.70	4,61	454	4.45	439	4,32	. 4.26	4 19	4.16	in fan de service de s Normalista de service d
17 17	く 马丸(1) 	4,48	, 4,80 2 97	455 195	A 24 2106	1.180 21.1910	- 4.33	- 4905	3.98	393 777	
19	4.26	4.14	4.06	3.99	3.90	3.84	3.78	3.71	3.65	3.61	
- 20	4.12	4:00	3.92	3.86	3.77	3,70	3.64	3.58	- 3.51	3,48	
21	4.00	3.88	3.80	3,74	3.64	3.58	3.52	3.46	3,39	3.36	
22	3.89	3.78	3.70	3.63	3.54	3.48	-3,41	- 335	3.28	325	Ne ^s - Constant
24	3.71	3:59	3.51	3.45	3.36	3.29	3.23	3.17	3.10	3.07	
25	3.63	352	3.43	337	3.28	:3.22	3.15	3.09	3.03	2.99	
26	3.56	3.44	3.36	3.30.	3.21	. 315	3.98	3102	2.95	2.92	
27	3.49	338	3:30	323	3.14	3.08	3,02	2.96	2.85	2.86	
20 29	338 338	3.52	3.18	312	3.03	2.02	2.90	2.84	2.0	2.74	
30	3.33	. 3.22	3.13	3.07	2.98	2.92	2.86	2.79	27:	2.69	
35	3.13	3.02	2.93	2.87	2.78	2.72	2.66	. 2.59	2.52	2.45	
40	2.98	2.87	2,79	2.73	2.64	257	2.51	2.44	231	2.34	
-50 60	:.2.79 7 67	2.68	2.60	2.53	2.44	2.38	2.31	2.25	ວ 2.18 ເວັດ	2.14 3 01	
70	2.58	2,47	2.39	232	223	2.16	2.10	2,03	1.9	1.92	
80	2.52	2.41	2.32	2.26	2.16	2.10	2.03	1.96	1.89) 1.85	
90	2.47	236	2.27	. 2.21	211	, 2.05	1.98	19	1.8	1.75	
100	2.49	232	2.24	217	2.08	. 2.01 1.65	1.94	187			
150	2.32	2.21	2.12	2.06	1.96	1.89	1.60	1.74	1.61	5. 167	
200	7 76	235 235	9 107	2 14 7 m	1 90	183	176	165	1.61) 151	
250	2,23	2.12	2.03	1.97	1.87	1.80	1.72	16	1.50	-15	
300	221	2.10	2.01	1.94	1.85	1.78	1.70	1.52	1.5	3 1.48	
Son	2.18	2.05	1.98	1.92	1.82 1.80	173	1.07 1.65	2) 15		/ 1.42 } 1.4	
500	1953 1914	2 A A	y dor.	n tên	1 70	7 73	1	14	্য বিশ্ব	5 3 4	알려오려 아파아
750	2.15	2.04	1.95	1.69	1.78	1.71	1.63	151	1.4	5 1.4(
1000	2,14	2.02	1.94	1.87	1.77	1.69	162	្លាភ	3 1.4	1 131	
	2.5			1. 不会这种情	2	1. The second	一 可止 通信的变	ia - 16			승규는 가지 생각 이 없는 것

and the second sec

Chi-Square Distribution Table



The shaded area is equal to ϕ for $\chi^2 = \chi$

đ	X ² 995	x ² ,990	X ² 975	×2950 ·	x ² 900	X ² 100	X2050	X2025	χ ² .010	×2005
1	D.000	0.000	0.001	0.004	0.016	2,706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9,210	10.597
3	0.072	0315	D.216	0.352	0.584	6.251	7.815	9.348	11.345	.12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14:860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.970	12.833	15.086	16.750
6	0.676	0.872	1:237	1.635 -	2.204	10.645	12.592	14,449	16.812	18.548
17	0.989	1.239	1.690	2,167	2,833	12.017	14.067	16.013	18.475	20.278
-8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156 .	2.558	3.247	.3.940	4.865	. 15.987	, 18.307	20.483	23.209	25.188
11	2:603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26,757
12	3.1974	3.571	4 404	5.226	- 6.304 - 1	18549	21.026	23.337	25.217	28.300
- 13	3.565	4.107	5.009	5.892	7,042	19.812	22,362	24.736	27.688	29.819
14	4,075	4.660	5.629	6.571	27.790	.21.064	23.685.	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	* 8.547	22.307	24.996	27.488	30.578	.32.801
16	5,142	5.812	- 16:908	7.962	9.312	23.542	26:296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35,718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
1.9	6.844	7.633	8.907	10,117	11.651	27.204	30,144	32.852	36.191	38.582
-20	7.434	8,260	9.591	10.851	12.443	28,412	31.410	34.170	37.566	39_997
21	8.034	-8.897	10.283	11.591	.13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14:041	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886 -	10.856 -	12.401	13,548	15.659.	33.195	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	, B1 4652	40.646	34.314	46.928
26	11160	12,198	13.844	15.579	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16,151	18.114	36.741	40.113	43.195	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.401	48.278	50,993
. † 29	13,121	14,256	16,047	17.708	19.768	39.087	02.557	45.722	49588	52.335
30	13.787	14.953	16.791	18,493	20.599	40.256	43.773	46.979	50.892	53.672
1 40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40,482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51,739	55.329	85.527	90,531	95.023	1.100.425	104.215
.80	51.172	53.540	57,153	60.391	64.278	95.578	101.879	105.629	112.329	115.321
90	39.196	1 51.754	05.547	69.126	73.291	107.555	113.145	118.135	124.116	128.299
1 200	07.328	1 70.055	4.222	77,929	-82.358	118,498	124.342	129.561	135.807	140.169

物